PRODUCT PORTFOLIO







CAFETERIA











LIVING ROOM RECEPTION CAFE

PRODUCT PORTFOLIO



LIVING ROOM



GAZEBO



WAITING LOUNGE





OUTDOOR SITTING AREA



RELAXING SPACE




WORK STATION

POLYGRANITE SHEETS - 3 MM PATTERNS

Size: 8 Feet Height x 4 Feet Width | Covered Area: 32 Sq. Ft Thickness: 3 mm - 36 Patterns | 1.2 mm - 5 Patterns Per Sheet Weight- 17.5 Kg (3 mm) | 6 Kg (1.2 mm)




POLYGRANITE SHEETS - 3 MM PATTERNS



GRANITE


POLYGRANITE SHEETS - 3 MM PATTERNS



PG GLITTER PATTERNS - 3 MM



PG GLITTER PATTERNS - 3 MM



PGG09 GILDED BLUE ROSE



PGG10 LANDU JIN



PGG11 - OX BLUE





PGG12 OCEAN BLUE



PGG13 - ROSY INK


POLYGRANITE SHEETS - 1.2 MM PATTERNS





PC05 - YELLOW

ACCESSORIES - PVC BORDER



Color: Black Size: 8 inch Width x 10 Feet Height



Color: Brown Size: 8 inch Width x 10 Feet Height



Color: Black Size: 4 inch Width x 10 Feet Height



Color: White Size: 4 inch Width x 10 Feet Height



Color: Brown Size: 4 inch Width x 10 Feet Height



Color: Brown Size: 2 inch Width x 10 Feet Height



Color: Black Size: 2 inch Width x 10 Feet Height



Color: Off White Size: 2 inch Width x 10 Feet Height

INTERNAL CORNER



Color: Black Size: 10 Feet Length



Color: White Size: 10 Feet Length




Color: Brown Size: 10 Feet Length

L CORNER



Color: Black Size: 10 Feet Length

ALUMINIUM ACCESSORIES



EDGE STRIP



FLAT STRIP





EXTERNAL CORNER INTERNAL CORNER



I STRIP



L CORNER



Size: 9 Feet 6 Inch Height x 6.6 Inch Width | Thickness: 24 mm Per Box: 14 Pcs | Pattern: 5+ | Covered Area: 5.2 Sq. Ft

MODEL - 2






3006 STATUARIO WHITE



3007 JAMAICAN WOOD

Size: 9 Feet 6 Inch Height x 8 Inch Width | Thickness: 28 mm Per Box: 12 Pcs | Pattern: 7+ | Covered Area: 6.3 Sq. Ft

MODEL - 3



3001A SCOTCH MIST



3002A SILVER CHARCOAL



3003A AFRICAN TEAK



3004A CHERRY PINE




3005A ROMAN CREAM

Size: 9 Feet 6 Inch Height x 7.6 Inch Width | Thickness: 12 mm Per Box: 18 Pcs | Pattern: 5+ | Covered Area: 6 Sq. Ft



Size: 9 Feet 6 Inch Height x 6" Inch Width | Thickness: 18 mm Per Box: 16 Pcs | Pattern: 5+ | Covered Area: 4.7 Sq. Ft

MODEL - 5



Size: 9 Feet 6 Inch Height x 5.9 Inch Width | Thickness: 8 mm Per Box: 16 Pcs | Pattern: 4+ | Covered Area: 4.6 Sq. Ft







FRISO DARK



8003 TURKEY WOOD




8004 KASTURA LIGHT

Size: 9 Feet 6 Inch Height x 6.6 Inch Width | Thickness: 17 mm Per Box: 18 Pcs | Pattern: 4+ | Covered Area: 5.2 Sq. Ft

ACCESSORIES



Size: 10 Feet Length | Per Box: 200 Pcs








SP09 **LAVA GRAPHITE**

SP10 GROOVED STATUARIO

Size: 8 Feet Height x 4 Feet Width | Covered Area: 32 Sq. Ft Thickness: 3mm - | Pattern: 10+ | Per Sheet Weight- 17.5 Kg (3mm)

ACCESSORIES


ALUMINIUM ACCESSORIES



EDGE STRIP



FLAT STRIP





EXTERNAL CORNER INTERNAL CORNER



I STRIP



L CORNER

Size: 10 Running Feet | Color: Rose Gold



BBF01 - CHIC WALNUT



BBF02 - DARK SEN



BBF03 - THERMO PINE



BBF04 - MOON LIGHT OAK



BBF05 - EXOTIC BEIGE



BBF06 - RIDGED BRAZILIAN


Size: 4 Feet Height x 7 Inch Width | Per Panel Coverage Area: 2.33 Sq. Ft
Thickness: 6.5 mm (5mm SPC core + 1.5mm IXPE PAD)
Per Panel Weight: 2.3 Kg | Pattern: 6+

Per Box: 8 Pcs | Per Box Coverage Area: 18.6 Sq. ft

SPC FLOORING ACCESSORIES







SKIRTING LINE



T-SHAPED MOULD



REDUCER

Size: 8 Feet Length Per Box: 20 Pcs | Per Box Weight: 13 Kg Size: 8 Feet Length Per Box: 10 Pcs | Per Box Weight: 19 Kg



EW01 GREEN HEART WOOD



EW02 METAL GREY WOOD



EW03 EBONY BROWN WOOD



EW04 OXFORD BROWN WOOD



WPC Exterior Accessories
L CORNERS Available in
Our Pattern Color

Size: 9 Feet 6 Inch Height x 8.7 Inch Width | Covered Area: 6.8 Sq. Ft
Thickness: 26mm | Pattern: 4+ | Per Panel Weight- 9 Kg
Per Box Panel: 5 Pcs | Per Box Weight- 45 Kg

Size: 12 Feet Height x 1 Feet Width | Covered Area: 12 sq.ft Thickness: 1mm - 7+ pattern | Per Panel Weight- 2.8 Kg Per Box: 12 Pcs | Per Box Weight- 27.4 Kg



SW001 FARIY AMERICAN



SW004 WALNUT BROWN



SW002 TEAK WOOD



SW005 JACOBEAN WOOD



SW003 LIGHT OAK



SW006 GRAPHITE



SW007 WHITE



SW008 WESTERN BROWN



SW009 ORIENTAL WHITE OAK

ACCESSORIES







Size: 12 Feet Length

H-Channel - Box Weight - 21 Kg | Per Box - 24 Pcs J-Channel - Box Weight - 15 Kg | Per Box - 40 Pcs Inner Corner - Per Box - 10 Pcs Outer Corner - Per Box - 10 Pcs



BCB01 GREY IRISH



BCB02 CREEN LINEN



BCB03 MATTY BROWN



BCB04
PRESTIGE WHITE



BCB05 SPANDEX WHITE



BCB06 SILVER HORIZON



BCB07 BROWN TUSSAR



BCB08 COTTON BLEND




BCB09 CREAM DIAMOND

Size: 8 Feet Height x 4 Feet Width | Coverage Area: 32 Sq. ft Thickness: 8 mm | Patterns: 9+ | Per Sheet Weight: 15.8 Kg

ACCESSORIES









MID PROFILE



EXTERNAL PROFILE



EDGE PROFILE



COLLOR PROFILE

Height: 10 Feet Each Accessories Per Bundle: 100 Pcs

50 MM - PATTERNS



PU01 PURE BLACK (MODEL M)



PU02 ELEGANT BLACK (MODEL M)



PU03 VOLCANIC GREY (MODEL M)

30 MM - PATTERNS



PU04 WHITE HUMP (MODEL J)



PU05 EARTHY HUMP (MODEL J)



PU06 HALF DISK (MODEL B1)



PU07 TWIN MOON (MODEL JLZ)

30 MM - PATTERNS



PU08 VERTICAL TERRACOTTA (MODEL W1)

Size: 4 Feet Height x 2 Feet Width | Thickness: 30 mm & 50 mm Patterns: 8+ | Coverage Area: 8 Sq. ft

Model Name	MODEL M	MODEL J	MODEL B1	MODEL JLZ	MODEL W1
Box Per Piece	7	16	10	16	12
Per Box Covered Sq. Ft	56	64	80	128	96









BBSC 01 - WINE RED

BBSC 02 - BROWN BLACK

BBSC 03 - FOREST GREEN








BBSC 05 - SMOKY GREY

Size: 7 Feet 7 Inch Height x 2 Feet 8 Inch Width | Patterns: 5+ Thickness: 0.4 mm | Covered Area: 21.56 Sq. Ft | Per Sheet Weight: 10 Kg

ACCESSORIES



Name - Flat Sheet Width - 1 Feet 6 Inch Height - 6 Feet 6 Inch




Name - Eaves Flashing Width - 8.3 Inches Height - 6 Feet 6 Inch



Name - Valley Gutter Width - 8.3 Inches Height - 6 Feet 6 Inch




Name - Ridge Cap Width - 5.9 Inches Height - 6 Feet 6 Inch



Name - Barge Board Width - 9.4 Inches Height - 6 Feet 6 Inch



Name - 3 Way Ridge



Name - Side Flashing Width - 5.5 Inches Height - 6 Feet 6 Inch







ACCENTUATE The Feel of Your Decor



ADHESIVE



MAIN PURPOSES

Bonding Wood And Pvc, Ceramic, Masonry, Aluminum, Metal, Timber, Steel, Concrete, Glass, Plasterboard, And flooring Paneling, Etc.,

PRODUCTS FEATURES

- Good weather resistance
- Low odour and eco-friendly
- Super Initial Strength, Long-Lasting Viscosity and Good Bonding Strength
- Wide application range, suitable for most of materials and also suitable for tha gap filling.
- No containing to toluene, benzene or other hazardous material.

APPLICATION METHOD

- -Clean the surface and make sure there's no oil stains and ash left.
- Cut open the orifice and fit the nozzle on squeeze the adhesive out with a gun.

BONDING PROCESS FOR LIGHT MATERIALS:

(Applicable to light materials and bonding places with light bearing pressure) squeeze the adhesive out and gelatinize in a "Z" Shape with a 40cm distance, press the materials tightly and then take them a part for several minutes and squeeze them again.

BONDING PROCESS FOR HEAVY MATERIALS:

Squeeze the adhesive out and gelatinize as described above, then fix with clamp, iron nails, screws and others instruments, remove the clamp after adhesive dried (above 24 hours). Sticking positions can be adjusted within 20 mins, adhesiveness will be stronger within 2-3 days, optimum efficiency will be achieved after 7 days.

ADHESIVE



INTRODUCTION

Liquid nails are with super strength, can be used in place of nails to fix and bond the woods, plasterboard, medium density fiberboard, stones, metals plastics, rubbers etc., without surface drilling.

FEATURES

- Super adhesiveness.
 Excellent flexibility, Stable adhesiveness.
- Wide application can be used or most base materials even wet woods.
- Will not sag, can be used for joint filling, can be painted after drying.
- Perfect weather resistance and water tightness.
- Non-toxic, tasteless and no pollution.

APPLICATION METHOD

- Clean the surface and make sure there's no oil stains and ash left.
- Cut open the orifice and fit the nozzle on squeeze the adhesive out with a gun

BONDING PROCESS FOR LIGHT MATERIALS:

(Applicable to light materials and bonding places with light bearing pressure) squeeze the adhesive out and gelatinize in a "Z" Shape with a 40cm distance, press the materials tightly and then take them a part for several minuted and squeeze them again.

BONDING PROCESS FOR HEAVY MATERIALS:

Squeeze the adhesive out and gelatinize as described above, then fix with clamp, iron nails, screws and others instruments, remove the clamp after adhesive dried (above 24 hours). Sticking positions can be adjusted within 20min, adhesiveness will be stronger within 2-3days, optimum efficiency will be achieved after 7 days.

ADHESIVE



PRODUCT DESCRIPTION

Neutral silicone sealant is an anti-bacterial; single component Oxime cure sealant, cured by atmospheric moisture to form a high-strength waterproof seal. It is a flexible multi-purpose silicone sealant with a powerful anti-fungal property to prevent mold/bacteria growth.

INSTRUCTION

- 1. All surfaces must be clean and dry.
- 2. This product should not be used for structural assembly, the areas that may contain alkaline substances like marble and granite, as well as the surfaces that are frosty, humid, or with bad ventilation conditions and may contain transudatory grease, or plasticizer.

WARNING

- 1. Keep out of reach of children.
- 2. Keep the package well sealed, and ensure the operation site has good ventilation conditions.
- 3. Avoid contact with eyes and skin, in case that happens should wash with clean water immediately, then turn to the doctor for help.4. Consumers should have a trial test before operation while following the instructions stated above to avoid person danger or loss.

NOTICE

The product should be stored in a dry and cool place with the temperature below 27°C.

SHELF LIFE

12 Months